

Dr Adrian Bristow

Publications

Virden R, **Bristow AF** & Pain RH (1975). The active site of penicillin from *Staphylococcus aureas* PC1: isolation of a specific covalent complex with the substrate quinacillin. *Biochemical Journal*, 149 397-401.

Bristow AF & Virden R (1978). Preferential nitration with tetra-nitromethane of a specific tyrosine residue in penicillinase from *staphylococcus aureas* PC1. *Biochemical Journal*, 169 381-388.

Virden R, **Bristow AF** & Pain RH (1978). Reversible inhibition of penicillinase by quinacillin: evaluation of mechanisms involving two conformational states of the enzyme. *Biochemical and Biophysical Research Communications*, 82 951-956.

Bristow AF, Montague D, Synetos D, Jenkins G, Cockayne D & Schulster D (1980). An improved methodology for the extraction and partial purification of porcine hypothalamic corticotrophin releasing factor. *Journal of Endocrinology*, 84 189-197.

Bristow AF, Gleed C, Fauchere J-L, Schwyzer R & Schulster D (1980). Effects of ACTH (corticotrophin) analogues on steroidogenesis and cyclic AMP in rat adrenocortical cells: evidence for two different steroido-genically responsive receptors. *Biochemical Journal*, 186 599-603.

Schulster D, Montague D, **Bristow AF**, Nice E & O'Hare MJ (1980). The use of high performance liquid chromatography in the purification of corticotrophin releasing factor (CRF) from porcine hypothalami. *Advances in Physiological Sciences*, 14 25-29.

Schulster D & **Bristow AF** (1981). Biochemical and genetic analysis of ACTH mechanisms of action. In: *Endocrinology* (Eds. IA Cumming, JW Funder & FAO Mendelsohn). Elsevier/North Holland, pp315-318.

Bristow AF, Schulster D & Rodnight R (1981). Cyclic nucleotide dependent phosphorylation of endogenous proteins in bovine adreno-cortical cell membranes. *Biochimica et Biophysica Acta*, 675 24-28.

Kriwaczek VM, **Bristow AF**, Eberle AN, Gleed C, Schulster D & Schwyzer R (1981). Superpotency and superaffinity phenomena in the stimulation of steroidogenesis in adrenocortical cells by adrenocortico-tropia-tobacco mosaic virus conjugates. *Molecular and Cellular Biochemistry*, 40 49-59.

Bristow AF & Bangham DR (1981). The control of medicines produced by recombinant DNA technology. *Trends in Biochem Sciences*, 6 No.8, August.

Montague D, **Bristow AF**, O'Hare MJ, Nice EC & Schulster D (1983). Differences in the elution profiles of corticotrophin-releasing activity in rat plasma and hypothalamic extracts following high-performance liquid chromatography. *Neuroendocrinology*, 36 138-143.

Bristow AF, Sutcliffe N, Ayling C & Bangham DR (1982). Evaluation of candidate materials for replacement of the international reference preparation of human thyroid stimulating hormone (TSH) for immunoassay. In: Hormone Drugs. Proceedings of the FDA/USP Workshop on Drug and Reference Standards for Insulins, Somatropins and Thyroid-axis Drugs, Bethesda, Maryland, May 1982, pp524-533.

Bangham DR, **Bristow AF** & Gaines Das RE (1982). International studies for the replacement of the 4th International Standard for Insulin. In: Hormone Drugs. Proceedings of the FDA/USP Workshop on Drug and Reference Standards for Insulins, Somatropins and Thyroid-axis Drugs, Bethesda, Maryland, May 1982, pp239-243.

Sutcliffe N & **Bristow AF** (1984). The proinsulin content of commercial bovine insulin formulations. Journal of Pharmacy and Pharmacology, 36 163-166.

Bristow AF, Wilson C & Sutcliffe N (1983). Reversed-phase high-performance liquid chromatography of human thyroid stimulating hormone. Journal of Chromatography, 270 285-292.

Gooding RP & **Bristow AF** (1985). Detection of host-derived contaminants in products of recombinant DNA technology in E.coli: a comparison of silver staining and immunoblotting. Journal of Pharmacy and Pharmacology, 37 781-786.

Gaines Das RE & **Bristow AF** (1985). The 2nd International Reference Preparation of Thyroid Stimulating Hormone, human, for immuno-assay. Calibration by bioassay and immunoassay in an international collaborative study. Journal of Endocrinology, 104 367-379.

Zanelli JM, **Bristow AF**, Poole S, Schulster D, Storring PL, Jeffcoate SL & Gaines Das RE (1987). Il programma NIBSC sugli standard ormonali internazionali e per ricerca. Quarderni di Ligand Quarterly, 6(1) 57-62.

Gearing AJH, Bird CR, **Bristow AF**, Poole S & Thorpe R (1987). A simple sensitive bioassay for Interleukin-1 which is unresponsive to 10^3 units/ml Interleukin-2. Journal of Immunological Methods, 99 7-11.

Bristow AF (1990). Preparation of proteins for therapeutic use. In: Protein Purification. A Practical Approach (Eds: Harris & Angal) IRL Press. pp 29-44.

Ferreira S, Lorenzetti BB, **Bristow AF** & Poole S (1988). Interleukin-1 β as a potent hyperalgesic agent antagonised by a tripeptide analogue. Nature, 334 698-700.

Gaines Das RE & **Bristow AF** (1988). WHO international reference reagents for bovine and porcine proinsulins. Journal of Biological Standardization, 16 187-193.

Bristow AF & Gaines Das RE (1988). WHO international reference reagents for human proinsulin and human insulin C-peptide. Journal of Biological Standardization, 16 179-186.

Bristow AF, Gaines Das RE & Bangham DR (1988). WHO International Standards for highly purified human, porcine and bovine insulins. Journal of Biological Standardization, 16 165-178.

Bristow AF, Dunn D & Tarelli E (1988). Additives to biological substances IV: Lyophilization conditions in the preparation of International Standards: an analysis by HPLC of the effects of secondary desiccation. *Journal of Biological Standardization*, 16 55-61.

Grant PJ, Strickland MH, **Bristow AF**, Clarke RF & Wales JK (1989). Insulin increases plasma somatomedin-C (IGF-I) concentrations in adult type 1 diabetic patients. *Diabetic Medicine*, 6 245-248.

Bristow AF, Gearing AH & Thorpe R (1990). Radioisotopes and immunoassay. In: *Radioisotopes and Biology. A Practical Approach.* (Ed: PJ Staler) IRL Press. pp 243-266.

Poole S, **Bristow AF**, Selkirk S & Rafferty B (1989). Development and application of radioimmunoassays for interleukin-1 α and interleukin-1 β . *Journal of Immunological Methods*, 116 259-264.

Bristow AF, Rafferty B, Selkirk S & Poole S (1989). Preparation of moniodinated interleukin-1 beta and its use in radioimmunoassay. *Developments in Biological Standardisation*, 69 103-110.

Bristow AF, Gooding R & Gaines Das RE (1990). The international reference reagent for insulin-like growth factor I (IGF-I/somatomedin-C). *Journal of Endocrinology*, 125, 191-197.

Bristow AF, (1991). The current status of therapeutic peptides and proteins in polypeptide and protein drugs. (Eds: RC Hider & D Barlow). Ellis Harwood. pp 54-69.

Bristow AF (1990). Design, execution and establishment of biological reference preparations. *Pharameuropa* 2: (1, special) 141-149.

Bristow AF, Maxl F & Spieser JM (1990). Gradient-elution HPLC: an EP collaborative study on a proposed purity test for oxytocin bulk concentrate. *Pharameuropa* 2(1): 71.

Bristow AF, Gaines Das RE & Fisher BV (1990). comparison of HPLC and bioassays for insulin and the establishment of Ph. Eur. standards. *Pharameuropa* 2(2): 161-166 (and subsequent corrigendum).

Poole S, **Bristow AF**, Selkirk S & Rafferty B (1989). Development and application of radioimmunoassays for interleukin-1 α and interleukin-1 β . *Journal of Immunological Methods*, 116 259-264.

Bristow AF, Rafferty B, Selkirk S & Poole S (1989). Preparation of moniodinated interleukin-1 beta and its use in radioimmunoassay. *Developments in Biological Standardisation*, 69 103-110.

Hagan P, Poole S & **Bristow AF** (1992). Immunosuppressive activity of corticotrophin releasing factor. *Biochem. J.* 281 251-254.

Bristow AF, Mosley K & Poole S (1991). IL-1 β production *in vivo* and *in vitro* in rats and mice measured using specific immunoradiometric assays. *J.Mol.Endo.* 7 1-7.

Taktak YS, Selkirk S, **Bristow AF**, Carpenter A, Ball C, Rafferty B & Poole S (1991). Assay of pyrogens by Interleukin-6 release from monocytic cell lines. *J. Pharm. Pharmacol.* 43 578-582.

Gaines Das RE, **Bristow AF** & Brettschneider H (1991). The effects of common matrices for assay standards on performance of "ultrasensitive" immunometric assays for TSH: Report of a joint WHO/IFCC

collaborative study. *J. Automatic Chem.* 13 209-215.

Bristow AF & Jeffcoate SL (1991). Assay of rDNA Growth hormone: design of collaborative study and results. *Pharneuropa* 3 (special issue) 3-20.

Poole S, **Bristow AF**, Lorenzetti BB, Gaines-Das RE, Smith TW & Ferreira (1992). Peripheral analgesic activities of peptides related to α -melanocyte stimulating hormone and interleukin-1 $\beta^{193-195}$. *Br J Pharmacol* 106:489-492.

Bristow AF & Jeffcoate SL (1992). Analysis of Therapeutic Growth Hormone Preparations: Report of an Interlaboratory Collaborative Study on Growth Hormone Assay Methodologies. *Biologicals* 20:221-231.

Hagan PM, Poole S & **Bristow AF** (1993). Corticotrophin-releasing factor as a mediator of the acute-phase response in rats, mice and rabbits. *J. Endocrinol.* 136, 207-216.

Hagan P, Tilders, F, Poole S & **Bristow AF** (1993). Development of a two-site immunoradiometric assay for rat/human corticotrophin-releasing factor. Application to the measurement of interleukin-1 β -stimulated production of hypothalamic CRF *in vitro*. *J. Immunol. Methods*. 160, 11-18.

Bristow AF, Gaines-Das RE, Buttress N, Gallimore JR, Tennent GA & Pepys MB (1993). The International Standard for Thyroxine Binding Globulin. *Clin. Endocrinol.* 38, 361-366.

Bristow, A.F. (1993). Recombinant-DNA-derived insulin analogues as potentially useful therapeutic agents. *TIBTECH* 11, 301-305.

Mekaouche M, Givalois L, Barbanel G, Siaud P, Maurel D, Malaval F, **Bristow AF**, Boissin J, Assenmacher I, Ixart G. Chronic restraint enhances interleukin-1-beta release in the basal state and after an endotoxin challenge, independently of adrenocorticotropin and corticosterone. *Neuroimmunomodulation*. 1994 Sep-Oct;1(5):292-9.

Givalois L, Dornand J, Mekaouche M, Solier MD, **Bristow AF**, Ixart G, Siaud P, Assenmacher I, Barbanel G. Temporal cascade of plasma level surges in ACTH, corticosterone, and cytokines in endotoxin-challenged rats. *Am J Physiol.* 1994 Jul;267(1 Pt 2):R164-70.

Linton EA, Perkins AV, Hagan P, Poole S, **Bristow AF**, Tilders F, Corder R & Wolfe CDA (1995). CRH-BP interference with CRH antibody binding : implications for direct CRH immunoassay. *J Endocrinol.*, 146 (1), 45-53.

Bristow AF, Gaines-Das R, Jeffcoate SL & Schulster D (1995). The first international standard for Somatropin: Report of an international collaborative study. *Growth Regulation* 5, 133-141.

Hagan P, Poole S, **Bristow AF**, Tilders F, Silverstein FS. Intracerebral NMDA injection stimulates production of interleukin-1 beta in perinatal rat brain. *J Neurochem.* 1996 Nov;67(5):2215-8.

53. Rolim C & **Bristow AF** (1995). Determination of insulin-in-solution in biphasic isophane insulin formulations. *Pharneuropa*, 7 (4), 595-598.

Bristow, A.F. (1996) Collaborative study for the establishment of a biological reference preparation for

erythropoietin. *Pharneuropa Bio* 97-2, 31-48

Bristow, A.F. (1997) Collaborative study for the establishment of somatropin reference standard *Pharneuropa Bio* 96-1, 70-79

Anforth H R, Bluthe R-M, **Bristow A**, Hopkins S, Lenczowski M, Luheshi G, Lundkvist J, Michaud B, Mistry Y, Van Dam A-M, Zhen C, Dantzer R, Poole S, Rothwell N J, Tilders F J H & Wollman E (1998). Biological activity and brain actions of recombinant rat interleukin-1 α and interleukin-1 β . *Eur. Cytokine Netw.*, Vol 9 no. 3: 279-88.

Bristow AF (1998). Standardisation of protein hormone immunoassays: current controversies. Proceedings of the UK NEQAS Endocrinology Meeting 1998: 3.

Bluthe R-M, Castanon N, Pousset F, **Bristow A**, Ball C, Lestage J, Michaud B, Kelley KW, Dantzer R (1999). Central injection of IL-10 antagonizes the behavioural effects of lipopolysaccharide in rats. *Psychoneuroendocrinology* 24: 301-311.

Rees G, Ball C, Ward HL, Gee CK, Tarrant G, Mistry Y, Poole S, **Bristow AF** (1999). Rat interleukin 6: expression in recombinant *Escherichia coli*, purification and development of a novel ELISA. *Cytokine*, Vol 11 no. 2: 95-103.

Bristow AF (1999). A Comparison of physico-chemical and biological assays in the batch release of therapeutic cytokines. Brown, F., Mire-Sluis, A.R. (eds.): *Biological Characterization and Assay of Cytokines and Growth Factors*. Dev. Biol. Stand. Basel, Karger, vol 97, pp 81-87.

Rees GS, Gee CK, Ward HL, Ball C, Tarrant GM, Poole S, **Bristow AF**. Rat tumour necrosis factor-alpha: expression in recombinant *Pichia pastoris*, purification, characterization and development of a novel ELISA. *Eur Cytokine Netw.* 1999 Sep;10(3):383-92.

Bristow AF (1999). International standards for growth hormone. *Horm. Res.* 51 7-12.

Ranke MB, Orskov H, **Bristow, AF**, Seth J & Baumann G (1999). Consensus on How to Measure Growth Hormone in Serum. *Horm. Res.* 51 27-29.

Bristow, A.F. and Charton, E. (1999) Assessment of the suitability of a capillary zone electrophoresis method for determining isoform distribution of erythropoietin. *Pharneuropa* 11 (2), 290-300

Pousset F, Palin K, Verrier D, **Bristow A**, Dantzer R, Parnet P, Lestage J. Production of interleukin-1 receptor antagonist isoforms by microglia in mixed rat glial cells stimulated by lipopolysaccharide. *Eur Cytokine Netw.* 2000 Dec;11(4):682-9

Ball, C., Vigues, S., Gee, C.K, Poole, S. and **Bristow, A.F.** (2001) Rat Interleukin-10: production and characterisation of biologically active protein in a recombinant bacterial expression system. *Eur. Cyt. Netw.* 12, 187-193.

Bristow, A.F. and Munk-Jespersen, A. (2001) The 2nd International Standard for somatropin (recombinant DNA-derived human growth hormone): preparation and calibration in an international collaborative study. *Biologics in the press*.

Ward, H., Vigues, S. Poole, S. and **Bristow, A.F.** (2001) The rat interleukin-10 receptor: cloning and sequencing of cDNA coding for the alpha-chain protein sequence, and demonstration by Western blotting of expression in rat brain. *Eur. Cyt. Netw.* *in the press*.

Bluthe, R-M, Lestage, J., Rees, G., **Bristow, A.**, and Dantzer, R. (2000) Dual effect of central injection of recombinant rat Interleukin-4 on lipopolysaccharide-induced sickness behaviour in rats. *Neuropsychopharmacology* *in the press*.

Rafferty B, Corran P & **Bristow A.** (2001)

Multicentre collaborative study to calibrate salmon calcitonin by bioassay and HPLC: establishment of the Third International Standard.
Bone, 29, 84-89

Ledeboer A, Breve JJ, Wierinckx A, van der Jagt S, **Bristow AF**, Leysen JE, Tilders FJ, Van Dam AM. Expression and regulation of interleukin-10 and interleukin-10 receptor in rat astroglial and microglial cells. *Eur J Neurosci*. 2002 Oct;16(7):1175-85.

Dunn EF, Gay NJ, **Bristow AF**, Gearing DP, O'Neill LA, Pei XY. (2003) High-resolution structure of murine interleukin 1 homologue IL-1F5 reveals unique loop conformations for receptor binding specificity. *Biochemistry*. 2003 Sep 23;42(37):10938-44.

Cartmell, T., Ball, C., **Bristow, A. F.**, Mitchell, D. and Poole, S. (2003) Interleukin-1 α is required for the defervescence of fever evoked by local lipopolysaccharide-induced and *Staphylococcus aureus*-induced inflammation in rats. *J. Physiol.* 549, 653-664

Bristow, A. F and Charton E (2002) Progress and problems in the replacement of pharmacopoeial bioassays for hormones *Dev Biol (Basel)* 111 79-88

Schindler, S., **Bristow, A.**, Cartmell, T., Hartung, T and Fennrich, S. (2003) Comparison of the reactivity of human and rabbit blood towards pyrogenic stimuli *Altexc* 20, 59-63

Souza, DG, Guabiraba,R., Pinho, V., **Bristow, A.**, Poole, S. and Teixara, M.M. (2003) IL-10 driven endogenous IL-10 production protects against the systemic and local acute inflammatory response following intestinal reperfusion injury. *J. Immunol*, 170, 4759-4766.

Birken S, Berger P, Bidart JM, Weber M, **Bristow A**, Norman R, Sturgeon C, Stenman UH Preparation and characterization of new WHO reference reagents for human chorionic gonadotropin and metabolites. *Clin Chem*. 2003 Jan;49(1):144-54

Berger P, Sturgeon C, Bidart JM, Paus E, Gerth R, Niang M, **Bristow A**, Birken S, Stenman UH (2002) The ISO/CD TD-7 Workshop on hCG and related molecules. Towards user-oriented standardization of pregnancy and tumor diagnosis: assignment of epitopes to the three-dimensional structure of diagnostically and commercially relevant monoclonal antibodies directed against human chorionic gonadotropin and derivatives. *Tumour Biol*. 2002 Jan-Feb;23(1):1-38

Konsman JP, Vigues S, Mackerlova L, **Bristow A**, Blomqvist A (2004) Rat brain vascular distribution of interleukin-1 type-1 receptor immunoreactivity: Relationship to patterns of inducible cyclooxygenase expression by peripheral inflammatory stimuli. *J Comp Neurol*. 2004 Apr 19;472(1):113-29

Bristow A, Berger P, Bidart JM, Birken S, Norman R, Stenman UH, Sturgeon C; IFCC Working Group on hCG Establishment, value assignment, and characterization of new WHO reference reagents for six molecular forms of human chorionic gonadotropin.

Clin Chem. 2005 Jan;51(1):177-82.

Liefooghe EC, Tiplady R, Gerson P, Lloyd P, Heath A, **Bristow AF**. (2005) A sialylation-sensitive cell-based in vitro bioassay for erythropoietin; incorporation of the galactose-binding Erythrina crista-galli lectin. Biologicals. 2005 Sep;33(3):161-7.

Differential regulation of type I and type II interleukin-1 receptors in focal brain inflammation. Docagne F, Campbell SJ, **Bristow AF**, Poole S, Vigues S, Guaza C, Perry VH, Anthony DC. Eur J Neurosci. 2005 Mar;21(5):1205-14.

Bayol A, **Bristow A**, Charton E, Girard M, Jongen P. Somatropin and its variants: structural characterization and methods of analysis. Pharmeuropa Bio. 2004 Dec;2004(1):35-45.

Behr-Gross ME, Daas A, **Bristow AF**. Collaborative study for the establishment of erythropoietin BRP batch 2. Pharmeuropa Bio. 2004 Dec;2004(1):23-33.

Inoue, W., Poole, S., **Bristow, A. F.** and Luhehi, G. (2006) Leptin Induces cyclo-oxygenase-2 via an interaction with Interleukin-1beta in the rat brain Eur. J. Neurosci. 24, 2233-3345

Sachot, C., Rummel, C., **Bristow, A. F.** And Luheshi, G. N. (2007). The role of the Vagus nerve in mediating the Long-Term anorectic effects of leptin J. Neuronend. 19, 250-261

McClements M, Williams S, Ball C, **Bristow A**, Wadhwa M, Meager A. A novel bioassay for B-cell activating factor (BAFF) based on expression of a BAFF-receptor ectodomain-tumour necrosis factor-related apoptosis-inducing ligand (TRAIL) receptor-2 endodomain fusion receptor in human rhabdomyosarcoma cells.

J Immunol Methods. 2008 Aug 20;337(1):63-70

Yuen CT, **Bristow A**, Jones C. Glycan mapping of glycotherapeutics. Pharmeur Sci Notes. 2008 Feb;2008(1):9-16

Thorpe SJ, Ball C, Fox B, Thompson KM, Thorpe R, **Bristow A**. Anti-D and anti-i activities are inseparable in V4-34-encoded monoclonal anti-D: the same framework 1 residues are required for both reactivities. Transfusion. 2008 May;48(5):930-40.

Stebbins R, Findlay L, Edwards C, Eastwood D, Bird C, North D, Mistry Y, Dilger P, Liefooghe E, Cludts I, Fox B, Tarrant G, Robinson J, Meager T, Dolman C, Thorpe SJ, **Bristow A**, Wadhwa M, Thorpe R, Poole S. "Cytokine storm" in the phase I trial of monoclonal antibody TGN1412: better understanding the causes to improve preclinical testing of immunotherapeutics. J Immunol. 2007 Sep 1;179(5):3325-31.

Collaborative study for the establishment of erythropoietin BRP batch 3.

Behr-Gross ME, Daas A, Burns C, **Bristow AF**.

Pharmeuropa Bio. 2007 Dec;2007(1):49-66.

Assignment of quantities to biological medicines: an old problem re-discovered. Adrian F AF Bristow
Philos Transact A Math Phys Eng Sci **369**(1953):4004-13 (2011), PMID 21930562

Pharmer Bio Sci Notes. 2012;2012:103-17. Regulatory requirements for therapeutic proteins: the relationship between the conformation and biological activity of filgrastim.
Bristow AF, Bird C, Bolgiano B, Thorpe R.

Role of public standards in the safety and efficacy of biologic medicines. Williams RL, **Bristow AF**, Hauck WW, Srinivasan VS, Morris T, Atouf F, Ambrose M, Surendranath KV, Chakrabarty R, Menon K. AAPS J. 2014 May;16(3):516-21

Antibody C region influences TGN1412-like functional activity in vitro. Ball C, Fox B, Hufton S, Sharp G, Poole S, Stebbings R, Eastwood D, Findlay L, Parren PW, Thorpe R, **Bristow A**, Thorpe SJ. J Immunol. 2012 Dec 15;189(12):5831-40.