



**Influenza Reagent**  
**Influenza Anti-B/Washington/02/2019-like HA serum (B Victoria lineage)**  
**NIBSC code: 19/318**  
**Instructions for use**  
**(Version 2.0, Dated 05/03/2021)**

**1. INTENDED USE**

Influenza antiserum reagent 19/318 is prepared for single radial diffusion assay of B/Washington/02/2019-like antigens using an appropriate NIBSC antigen reagent.

The antiserum reagent was prepared in sheep 737, 738, 739, 740, 741 and 742 using the purified HA of a B/Washington/02/2019-like virus. The HA antigens were extracted from purified virus by treatment with bromelain and purified by sedimentation on sucrose gradients (Brand, CN and Skehel, JJ, Nature, New Biology, 1972, 238, 145-147).

**2. CAUTION**

**This preparation is not for administration to humans or animals in the human food chain.**

The material is not of human or bovine origin. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

**3. UNITAGE**

No unitage is assigned to this material.

**4. CONTENTS**

Country of origin of biological material: United Kingdom.  
The immunization schedule for sheep 737, 738, 739, 740, 741 and 742 was as follows: one dose of approximately 140 µg of B/Washington/02/2019 virus HA with Freund's Complete Adjuvant (FCA) was given intramuscularly, followed two weeks later with a 20 microgram dose including Freund's Incomplete Adjuvant (FIA). Three further 20 microgram doses of B/Washington/02/2019 HA including FIA were given after a week. Six weeks after the initial immunization, serum was collected and sodium azide (0.05% w/v) added.

The antiserum was then treated by an APHIS approved method for the inactivation of FMDV.

The antisera obtained from sheep 737, 738, 739, 740, 741 and 742 were pooled, diluted 1:3.1 with PBS buffer containing sodium azide (0.05% w/v), and filled into vials in 2ml volumes.

**5. STORAGE**

The recommended storage temperature is +2-8°C. However, if it is intended to store the reagent for long periods i.e. >2 years, they may be stored at -20°C. The antiserum can be frozen and thawed without any adverse impact on use in the SRD assay.

**6. DIRECTIONS FOR OPENING**

Vials have a screw cap; an internal stopper may also be present. The cap should be removed by turning anti-clockwise. Care should be taken to prevent loss of the contents. Please note: If a stopper is present on removal of the cap, the stopper should remain in the vial or be removed with the cap.

**7. USE OF MATERIAL**

For the assay of antigens containing 20-50 micrograms of HA activity in 1ml, approximately 25-35 µl of the undiluted reagent should be added to

1ml agarose. It may be necessary to change the antiserum concentrations depending on the B/Washington/02/2019-like antigen standard used or according to local laboratory conditions.

Antiserum Reagent 19/318 should be used according to the method described by Wood, JM, Schild, GC, Newman, RW and Seagroatt, VA. Journal of Biological Standardisation, 1977, 5, 2.

**8. STABILITY**

It is the policy of WHO not to assign an expiry date to their international reference materials. They remain valid with the assigned potency and status until withdrawn or amended.

Reference materials are held at NIBSC within assured, temperature-controlled storage facilities. Reference Materials should be stored on receipt as indicated on the label. Once reconstituted, diluted or aliquoted, users should determine the stability of the material according to their own method of preparation, storage and use.

NIBSC follows the policy of WHO with respect to its reference materials.

Users who have data supporting any deterioration in the characteristics of any reference preparation are encouraged to contact NIBSC. Reference materials are held at NIBSC within assured, temperature-controlled storage facilities. Reference Materials should be stored on receipt as indicated on the label.

**9. REFERENCES**

None

**10. ACKNOWLEDGEMENTS**

None

**11. FURTHER INFORMATION**

Further information can be obtained as follows:  
This material: [enquiries@nibsc.org](mailto:enquiries@nibsc.org)  
WHO Biological Standards:  
<http://www.who.int/biologicals/en/>  
JCTLM Higher order reference materials:  
<http://www.bipm.org/en/committees/jc/jctlm/>  
Derivation of International Units:  
[http://www.nibsc.org/standardisation/international\\_standards.aspx](http://www.nibsc.org/standardisation/international_standards.aspx)  
Ordering standards from NIBSC:  
<http://www.nibsc.org/products/ordering.aspx>  
NIBSC Terms & Conditions:  
[http://www.nibsc.org/terms\\_and\\_conditions.aspx](http://www.nibsc.org/terms_and_conditions.aspx)

**12. CUSTOMER FEEDBACK**

Customers are encouraged to provide feedback on the suitability or use of the material provided or other aspects of our service. Please send any comments to [enquiries@nibsc.org](mailto:enquiries@nibsc.org)

**13. CITATION**

In all publications, including data sheets, in which this material is referenced, it is important that the preparation's title, its status, the NIBSC code number, and the name and address of NIBSC are cited and cited correctly.

**14. MATERIAL SAFETY SHEET**

Classification in accordance with Directive 2000/54/EC, Regulation (EC) No 1272/2008: Not applicable or not classified

Physical and Chemical properties	
Physical appearance: Liquid	Corrosive: No



Stable: Yes	Oxidising: No
Hygroscopic: No	Irritant: No
Flammable: No	Handling: See caution, Section 2
Other (specify):	Contains Sheep Serum and Sodium Azide (0.05% w/v)
<b>Toxicological properties</b>	
Effects of inhalation:	Not established, avoid inhalation
Effects of ingestion:	Not established, avoid ingestion
Effects of skin absorption:	Not established, avoid contact with skin
<b>Suggested First Aid</b>	
Inhalation:	Seek medical advice
Ingestion:	Seek medical advice
Contact with eyes:	Wash with copious amounts of water. Seek medical advice
Contact with skin:	Wash thoroughly with water.
<b>Action on Spillage and Method of Disposal</b>	
Spillage of ampoule contents should be taken up with absorbent material wetted with an appropriate disinfectant. Rinse area with an appropriate disinfectant followed by water. Absorbent materials used to treat spillage should be treated as biological waste.	

#### 15. LIABILITY AND LOSS

In the event that this document is translated into another language, the English language version shall prevail in the event of any inconsistencies between the documents.

Unless expressly stated otherwise by NIBSC, NIBSC's Standard Terms and Conditions for the Supply of Materials (available at [http://www.nibsc.org/About\\_Us/Terms\\_and\\_Conditions.aspx](http://www.nibsc.org/About_Us/Terms_and_Conditions.aspx) or upon request by the Recipient) ("Conditions") apply to the exclusion of all other terms and are hereby incorporated into this document by reference. The Recipient's attention is drawn in particular to the provisions of clause 11 of the Conditions.

#### 16. INFORMATION FOR CUSTOMS USE ONLY

<b>Country of origin for customs purposes*:</b> United Kingdom * Defined as the country where the goods have been produced and/or sufficiently processed to be classed as originating from the country of supply, for example a change of state such as freeze-drying.
<b>Net weight:</b> 2g
<b>Toxicity Statement:</b> Non toxic
<b>Veterinary certificate or other statement</b> if applicable.
<b>Attached:</b> Yes SH737 SH738 SH739 SH740 SH741 SH742



**Chris Handley DVM MRCVS**  
Named Veterinary Surgeon  
Royal Veterinary College  
Royal College Street  
LONDON  
NW1 0TU

---

### VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 05210 [Virology no. SH737], which has been used in the production of blood antiserum between 1<sup>st</sup> April 2020 and 14<sup>th</sup> May 2020. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.



Chris Handley DVM MRCVS  
Named Veterinary Surgeon

Date signed: 14/05/2020

---

Chris Handley DVM MRCVS  
Named Veterinary Surgeons (NVS) Group  
The Royal Veterinary College, Royal College Street, London NW1 0TU  
Mobile: 07733 103881, E-mail: [chandley@rvc.ac.uk](mailto:chandley@rvc.ac.uk)



**Chris Handley DVM MRCVS**  
Named Veterinary Surgeon  
Royal Veterinary College  
Royal College Street  
LONDON  
NW1 0TU

---

### VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 05586 [Virology no. SH738], which has been used in the production of blood antiserum between 1<sup>st</sup> April 2020 and 14<sup>th</sup> May 2020. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.



Chris Handley DVM MRCVS  
Named Veterinary Surgeon

Date signed: 14/05/2020

---

Chris Handley DVM MRCVS  
Named Veterinary Surgeons (NVS) Group  
The Royal Veterinary College, Royal College Street, London NW1 0TU  
Mobile: 07733 103881, E-mail: [chandley@rvc.ac.uk](mailto:chandley@rvc.ac.uk)



**Chris Handley DVM MRCVS**  
Named Veterinary Surgeon  
Royal Veterinary College  
Royal College Street  
LONDON  
NW1 0TU

---

### VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 05976 [Virology no. SH739], which has been used in the production of blood antiserum between 1<sup>st</sup> April 2020 and 14<sup>th</sup> May 2020. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.



Chris Handley DVM MRCVS  
Named Veterinary Surgeon

Date signed: 14/05/2020

---

Chris Handley DVM MRCVS  
Named Veterinary Surgeons (NVS) Group  
The Royal Veterinary College, Royal College Street, London NW1 0TU  
Mobile: 07733 103881, E-mail: [chandley@rvc.ac.uk](mailto:chandley@rvc.ac.uk)



**Chris Handley DVM MRCVS**  
Named Veterinary Surgeon  
Royal Veterinary College  
Royal College Street  
LONDON  
NW1 0TU

---

### VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 04665 [Virology no. SH740], which has been used in the production of blood antiserum between 1<sup>st</sup> April 2020 and 14<sup>th</sup> May 2020. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.



Chris Handley DVM MRCVS  
Named Veterinary Surgeon

Date signed: 14/05/2020

---

Chris Handley DVM MRCVS  
Named Veterinary Surgeons (NVS) Group  
The Royal Veterinary College, Royal College Street, London NW1 0TU  
Mobile: 07733 103881, E-mail: [chandley@rvc.ac.uk](mailto:chandley@rvc.ac.uk)




**Chris Handley DVM MRCVS**  
Named Veterinary Surgeon  
Royal Veterinary College  
Royal College Street  
LONDON  
NW1 0TU

---

### VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 05158 [Virology no. SH741], which has been used in the production of blood antiserum between 1<sup>st</sup> April 2020 and 14<sup>th</sup> May 2020. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.



Chris Handley DVM MRCVS  
Named Veterinary Surgeon

Date signed: 14/05/2020

---

Chris Handley DVM MRCVS  
Named Veterinary Surgeons (NVS) Group  
The Royal Veterinary College, Royal College Street, London NW1 0TU  
Mobile: 07733 103881, E-mail: [chandley@rvc.ac.uk](mailto:chandley@rvc.ac.uk)




**Chris Handley DVM MRCVS**  
Named Veterinary Surgeon  
Royal Veterinary College  
Royal College Street  
LONDON  
NW1 0TU

---

### VETERINARY CERTIFICATE OF ANIMAL HEALTH

This is to certify that I have examined a Sheep with ear tag number: UK 0241269 05144 [Virology no. SH742], which has been used in the production of blood antiserum between 1<sup>st</sup> April 2020 and 14<sup>th</sup> May 2020. Both the ear tag number and the animals' record show that it is of UK origin.

This animal was a breeding Ewe which became surplus to requirements. In my opinion at the time of clinical examination, the ewe was in good health and showed no clinical signs of infectious disease.



Chris Handley DVM MRCVS  
Named Veterinary Surgeon

Date signed: 14/05/2020

---

Chris Handley DVM MRCVS  
Named Veterinary Surgeons (NVS) Group  
The Royal Veterinary College, Royal College Street, London NW1 0TU  
Mobile: 07733 103881, E-mail: [chandley@rvc.ac.uk](mailto:chandley@rvc.ac.uk)