



**Influenza Reagent  
Influenza Virus Infectious IVR-215 (H1N1)  
NIBSC code: 21/252  
Instructions for use  
(Version 5.0, Dated 24/09/2021)**

**1. INTENDED USE**

Reagent 21/252 is prepared from IVR-215 (A/Victoria/2570/2019) (H1N1) x A/Texas/1/77 (H3N2) which was processed in 250µl volumes as liquid stock. The derivation and known passage history of IVR-215 is attached.

**2. CAUTION**

**This preparation is not for administration to humans or animals in the human food chain**

The material is not of human or bovine origin. As with all materials of biological origin, this preparation should be regarded as potentially hazardous to health. It should be used and discarded according to your own laboratory's safety procedures. Such safety procedures should include the wearing of protective gloves and avoiding the generation of aerosols. Care should be exercised in opening ampoules or vials, to avoid cuts.

**3. UNITAGE**

No unitage is assigned to this material

**4. CONTENTS**

Country of origin of biological material: United Kingdom.  
Each ampoule contains 250µl (nominal) of infectious influenza virus as allantoic fluid from SPF embryonated hen's eggs.

**5. STORAGE**

Store in the dark at -70°C or below

**Please note: because of the inherent stability of lyophilized material, NIBSC may ship these materials at ambient temperature.**

**6. DIRECTIONS FOR OPENING**

Vials have a screw cap; an internal stopper may also be present. The cap should be removed by turning anti-clockwise. Care should be taken to prevent loss of the contents. Please note: If a stopper is present on removal of the cap, the stopper should remain in the vial or be removed with the cap.

**7. USE OF MATERIAL**

Ready to use

**8. STABILITY**

Reference Materials should be stored on receipt as indicated on the label.

NIBSC follows the policy of WHO with respect to its reference materials.

**9. REFERENCES**

NA

**10. ACKNOWLEDGEMENTS**

NA

**11. FURTHER INFORMATION**

Further information can be obtained as follows;  
This material: enquiries@nibsc.org

National Institute for Biological Standards and Control,  
Potters Bar, Hertfordshire, EN6 3QG. T +44 (0)1707 641000, [nibsc.org](http://nibsc.org)  
WHO International Laboratory for Biological Standards,  
UK Official Medicines Control Laboratory

WHO Biological Standards:

<http://www.who.int/biologicals/en/>

JCTLM Higher order reference materials:

<http://www.bipm.org/en/committees/jc/jctlm/>

Derivation of International Units:

[http://www.nibsc.org/standardisation/international\\_standards.aspx](http://www.nibsc.org/standardisation/international_standards.aspx)

Ordering standards from NIBSC:

<http://www.nibsc.org/products/ordering.aspx>

NIBSC Terms & Conditions:

[http://www.nibsc.org/terms\\_and\\_conditions.aspx](http://www.nibsc.org/terms_and_conditions.aspx)

**12. CUSTOMER FEEDBACK**

Customers are encouraged to provide feedback on the suitability or use of the material provided or other aspects of our service. Please send any comments to [enquiries@nibsc.org](mailto:enquiries@nibsc.org)

**13. CITATION**

In all publications, including data sheets, in which this material is referenced, it is important that the preparation's title, its status, the NIBSC code number, and the name and address of NIBSC are cited and cited correctly.

**14. MATERIAL SAFETY SHEET**

Classification in accordance with Directive 2000/54/EC, Regulation (EC) No 1272/2008: Not applicable or not classified

Physical and Chemical properties	
Physical appearance: Clear liquid	Corrosive: No
Stable: Yes	Oxidising: No
Hygroscopic: No	Irritant: No
Flammable: No	Handling: See caution, Section 2
Other (specify): Live influenza virus	
Toxicological properties	
Effects of inhalation:	Likelihood of influenza virus infection
Effects of ingestion:	Not established, avoid ingestion
Effects of skin absorption:	Not established, avoid contact with skin
Suggested First Aid	
Inhalation:	Seek medical advice
Ingestion:	Seek medical advice
Contact with eyes:	Wash with copious amounts of water. Seek medical advice
Contact with skin:	Wash thoroughly with water.
Action on Spillage and Method of Disposal	
Spillage of contents should be taken up with absorbent material wetted with an appropriate virucidal agent. Rinse area with an appropriate virucidal agent followed by water. Absorbent materials used to treat spillage should be treated as biologically hazardous waste.	

**15. LIABILITY AND LOSS**

In the event that this document is translated into another language, the English language version shall prevail in the event of any inconsistencies between the documents.

Unless expressly stated otherwise by NIBSC, NIBSC's Standard Terms and Conditions for the Supply of Materials (available at [http://www.nibsc.org/About\\_Us/Terms\\_and\\_Conditions.aspx](http://www.nibsc.org/About_Us/Terms_and_Conditions.aspx) or upon request by the Recipient) ("Conditions") apply to the exclusion of all other terms and are hereby incorporated into this document by reference. The Recipient's attention is drawn in particular to the provisions of clause 11 of the Conditions.



**16. INFORMATION FOR CUSTOMS USE ONLY**

<b>Country of origin for customs purposes*:</b> United Kingdom * Defined as the country where the goods have been produced and/or sufficiently processed to be classed as originating from the country of supply, for example a change of state such as freeze-drying.
<b>Net weight:</b> 0.25g per ampoule
<b>Toxicity Statement:</b> Non-toxic
<b>Veterinary certificate or other statement</b> if applicable.
<b>Attached:</b> No

Passage history of IVR-215

Cumulative number of passages	Passage numbers at each stage	Lot	Laboratory
E1-E3	E4	Unknown	Unknown
E4-E11	E4/D7	L470	Seqirus, Australia
E12-E13	E4/D7/E2	46590	NIBSC, UK

Sterility: No visible contamination was detected in a variety of media (tryptose soya broth, thioglycolate broth, Sabouraud's broth and blood agar plates) after 14 days incubation.

The HA and NA sequence of this virus is available at GISAID with the accession number EPI\_ISL\_4458424.



## REPORT

### PASSAGE HISTORY:

<i>Mixed infection passage:</i> (E4/D1)	A/Victoria/2570/2019 wild type virus @10 <sup>-5</sup> x A/Texas/1/77 (H3N2) @10 <sup>-5</sup> ↓	HA titre = 469
<i>1<sup>st</sup> Antiserum Passage</i> (E4/D2)	Inoculum @ 10 <sup>-3</sup> with antiserum to A/Texas/1/77 (H3N2) ↓	HA titre = 618
<i>2<sup>nd</sup> Antiserum Passage/ 1<sup>st</sup> Limit Dilution Passage*</i> (E4/D3)	Inoculum @ 10 <sup>-8</sup> with antiserum to A/Texas/1/77 (H3N2) ↓	HA titre = 520
<i>2<sup>nd</sup> Limit Dilution Passage</i> (E4/D4)	Inoculum @ 10 <sup>-9</sup> ↓	HA titre = 663
<i>3<sup>rd</sup> Limit Dilution Passage</i> (E4/D5)	Inoculum @ 10 <sup>-6</sup> ↓	HA titre ≥1522
<i>4<sup>th</sup> Limit Dilution Passage</i> (E4/D6)	Inoculum @ 10 <sup>-8</sup> ↓	HA titre = 1004
<i>5<sup>th</sup> Limit Dilution Passage</i> Lot 470 (E4/D7) IVR-215	Inoculum @ 10 <sup>-5</sup>	Mean HA titre ≥1628

\* Virus sample diluted to 10<sup>-3</sup>, dilution was mixed with antiserum to A/Texas/1/77 (H3N2) and incubated for 1 hour at room temperature. Incubated virus/antiserum sample was serially diluted and inoculated into eggs.

Total number of passages post mixed infection = 6

Total number of passages since this virus was received from an approved laboratory = 7

HA titres were determined using fowl red blood cells at room temperature.



## REPORT

### TESTING OF A/VICTORIA/2570/2019 INFLUENZA VIRUS (IVR-215)

Test	Result			
Genotype (by real time RT-PCR)	<b>1 : 5 : 2 (A/Texas/1/77 : A/Puerto Rico/8/34: A/Victoria/2570/2019)</b>			
	<b>Reassortant</b>			
	A/Texas/1/77 PB1 gene was detected			
	A/Puerto Rico/8/1934 PB2, PA, NP, M and NS genes were detected.			
	A/Victoria/2570/2019 (wild type virus) H1 and N1 genes were detected.			
	<b>Gene</b>	<b>A/Texas/1/77</b>	<b>A/Puerto Rico/8/34</b>	<b>A/Victoria/2570/2019</b>
	<b>H3</b>	X		X
	<b>N2</b>	X		X
	<b>H1</b>		NT	√
	<b>N1</b>		NT	√
	<b>PB1</b>	√	NT	NT
	<b>PB2</b>	NT	√	NT
<b>PA</b>	NT	√	NT	
<b>NP</b>	NT	√	NT	
<b>M</b>	NT	√	NT	
<b>NS</b>	NT	√	NT	

√ - positive by PCR

X - negative by PCR

NT – Not Tested

**Disclaimer:**

The material i.e. high growth reassortant virus IVR-215 and the information provided in this derivation report are provided on an “as is” basis and as such without any warranty or representation of any kind (expressed or implied) including, without limitation, of satisfactory quality or fitness for a particular purpose.

**Prepared by:**

*Lynda Allan*

Lynda Allan  
Senior Scientist  
R&D Operations-Influenza, Seqirus

Date: 05 / 06 / 20

**Authorised by:**

*Brad Dickson*

Brad Dickson  
Manager, IVV Seed Facility  
R&D Operations-Influenza, Seqirus

Date: 05 / 06 / 20